

**** PUBLIC Hearing ****

Wastewater Treatment Facility Preliminary Engineering Report (PER)

CITY OF COLUMBUS

MONDAY- NOVEMBER 7, 2022

CITY HALL 7:00 P.M.

*** Notes an action required by Council**

1. ***MINUTES, APPROVED AS WRITTEN, WITH OR WITHOUT ADDITIONS, DELETIONS, OR CORRECTIONS.**
2. ***APPROVAL OF CLAIMS 1ST meeting**
3. ~~* APPROVAL OF DELINQUENT SHUTOFFS 2nd meeting~~
4. **PRESENTATION OF PETITIONS AND COMMUNICATIONS.**

Randy Allen – railroad park art project with local artists concept for project

Master Sidewalk Plan and Master Park (Itch-kep-pe Park) Plan – Interstate Engineering

REPORTS OF OFFICERS

- | | |
|--------------------------|------------------|
| 1. Chief CVFD | 4. City Attorney |
| 2. Police Chief | 5. City Clerk |
| 3. Public Works Director | 6. City Court |

5. REPORTS OF COMMITTEES:

6. PUBLIC COMMENT ON CURRENT AGENDA ITEMS:

7. UNFINISHED BUSINESS

8. NEW BUSINESS

* PER – Wastewater Treatment Facility – Lowell Cutshaw.

* Memorandum of Understanding between City of Columbus and Montana Federation of Public Employees – Columbus City Police. Provisions regarding the formation, structure, and compensation of the Designated Canine Officer.

* Agreement between the City of Columbus And Stillwater County (designation of Stillwater County Justice of the Peace as City Judge)

*Official naming of street/road at Itch-kep-pe park for GIS County officer, ease of location for 911 EMS, Fire and police

* Streets approval of work for additive to construction plans on street rehab after the water line replacement. Approval of \$14,628.00 from streets/ gas tax budget.

First Reading of Ordinance NO. 362 – Ordinance Amending Zoning sections

- 1) Definition of "Temporary commercial use" in Chapter 17.08.10
- 2) Group 3 Temporary Uses and Group 4 Temporary Uses in Chapter 17.96.070
- 3) Schedule of fees, charges and expenses in Chapter 17.116.070

*Request for Public Works to switch out Election day for the 25th of November paid holiday.

9. COMMENTS NOT ON THE AGENDA

10. ***ADJOURN**